


AJ ROYAL PENDANT

The pendant comes in three sizes and is characterised by the ridges on top that allow a gentle light to exude upwards. The new, energy-saving LED version comes with a diffuser, which offers a smoother, 100% glare-free lighting.



Arne Jacobsen

Arne Jacobsen was born and raised in Copenhagen. In 1927, he graduated as an architect from the Royal Danish Academy of Fine Arts in Copenhagen. After graduating, he obtained his first job at the office of the City Architect of Copenhagen launching his own office only two years later.



Product info

Environmental Product Specification

This product is compliant with the requirements contained in the European Directives, RoHS Directive 2011/65 and 2015/863. This product is designed so that 100% of the product can be disassembled and reused.

Information

The white version is supplied with a white cable and the black version is supplied with a black cable. Compatible with leading and trailing edge mains dimmers. Please note that low power consumption on some products can affect dimming properties. This product is fitted with an integrated energy-saving LED light source. Should you wish to replace it, please contact Louis Poulsen so we can help you purchase the correct LED Replacement Kit. Please note that LED-replacement should always be carried out by an authorised electrician.

Mounting

Suspension type: Cable 2x0,75mm². Canopy: Yes. Cable length: 4m.

Finish

White or black, wet painted.

Materials

Shades: Spun aluminium. Rings: Steel. Diffuser: Frosted acrylic

Sizes and weights

width x Height x Length (mm) | 370 x 181 x 370 Max 4.3 kg | 500 x 225 x 500 Max 7.4 kg

Class

Ingress protection IP20. Electric shock protection I w/ ground.

Light source

LED 2700K 16W


Lumen: 930

Information

The white version is supplied with a white cable and the black version is supplied with a black cable. Compatible with leading and trailing edge mains dimmers. Please note that low power consumption on some products can affect dimming properties. This product is fitted with an integrated energy-saving LED light source. Should you wish to replace it, please contact Louis Poulsen so we can help you purchase the correct LED Replacement Kit. Please note that LED-replacement should always be carried out by an authorised electrician.



Related products




PH Artichoke



PH 3/2 Academy



PH 2/1 Stem Fitting



PH Snowball



PH 5-4½ & PH 6½-6




PH Louvre



Patera Pendant



VL Ring Crown 3-5-7 Pendant




OE Quasi Light




Patera Oval Pendant



PH Septima



PH Artichoke Yellow Glass



Ø 500 Enigma Pendant

Product variants

Dimension	Colour	Cable type	Light source	Lumen	Lighting control
Ø 370	Black	Black textile cord	LED 2700K 16W	1100	Dali
			LED 2700K 30W	1125	Phase dimming (mains dimm)
			LED 3000K 16W	1898	
			LED 3000K 30W	1955	
				2242	
Ø 500	White	White textile cord		2309	
				930	
				951	

Design

Arne Jacobsen

Weight

Min: 4.204 kg Max: 7.377 kg

Dimensions


Ø 370, Ø 500

Finish


Black, White

Light distribution diagrams


Cartesian



Isolux



Polar



Spare parts & accessories

AJ Royal Pendant

Product	Variant number
AJ Royal Ø370 cover	5741480007
AJ Royal screw set (4 pcs)	5744611349