

LP SLIM ROUND SUSPENDED

, , Designed by Louis Poulsen A/S

Type:

Product:

Project:

Modified:



Technical specifications

Materials

Reflector, top and stem: Die cast aluminum. Diffuser: Acrylic, opal.

Finishes

White, black, powder coated or clear lacquered, pickled aluminum.

Mounting

Suspension length: 12 ft. Canopy: White. Cord type: 2 conductor, 18 AWG, white PVC power cord. For mounting instructions, see download section on the product detail page.

Information

Electrical:

System Wattage: 13W, 25W or 54W

LED Wattage: 12W, 23W, or 50 W

Delivered lumens: 1,092 - 6,262

Efficacy: 84.0 lm/W - 116.0 lm/W

Certifications:

cULus, Damp Location

Protection class IP20

Controllability: 0-10V Dimming

Color Rendering: Ra≥90 For the E-socket product variants, bulbs are not included. LED light source is part of the product.

SPECIFICATION NOTES

a. 9.8 IN size available only in 13W.

b. 17.2 IN size available only in 25W.

c. 26.7 IN size available only in 54W.

d. Tunable white available only in white finish.

LP SLIM ROUND SUSPENDED

, , Designed by Louis Poulsen A/S

Variant Options

For particular variant options, please check our online Product Variants Configurator on the product detail page.

VARIANT NO.	LIGHT SOURCE	VOLTAGE/FRQ	DELIVERED LUMEN	FEATURES	CABLE	COLOR, RAL	W / H / L (IN) / W (LB)
10000153002	LED KELVIN ADJUSTABLE	120-277V/60HZ	1254	Dali kelvin adjustable	White cord	WHT, 349	9.8 / 5.8 / 9.8 in / 5.0 lb
10000153003	LED KELVIN ADJUSTABLE	120-277V/60HZ	2659	Dali kelvin adjustable	White cord	WHT, 349	17.2 / 6.1 / 17.2 in / 9.8 lb
10000154031	LED KELVIN ADJUSTABLE	120-277V/60HZ	2279	Dali kelvin adjustable	White cord	BLK, 350	17.2 / 6.1 / 17.2 in / 9.8 lb
10000154032	LED KELVIN ADJUSTABLE	120-277V/60HZ	2279	Dali kelvin adjustable	White cord	Dark aluminium raw	17.2 / 6.1 / 17.2 in / 9.8 lb
10000154034	LED KELVIN ADJUSTABLE	120-277V/60HZ	2353	Dali kelvin adjustable	White cord	WHT, 349	17.2 / 6.1 / 17.2 in / 9.8 lb
10000154045	LED KELVIN ADJUSTABLE	120-277V/60HZ	1070	Dali kelvin adjustable	White cord	BLK, 350	17.2 / 6.1 / 17.2 in / 5.0 lb
10000154046	LED KELVIN ADJUSTABLE	120-277V/60HZ	1070	Dali kelvin adjustable	White cord	Dark aluminium raw	17.2 / 6.1 / 17.2 in / 5.0 lb
10000154048	LED KELVIN ADJUSTABLE	120-277V/60HZ	1149	Dali kelvin adjustable	White cord	WHT, 349	17.2 / 6.1 / 17.2 in / 5.0 lb
5742919069	LED 3500K 53W	120-277V/60HZ	5861	Dim 0-10v	White cord	BLK, 350	26.7 / 6.1 / 26.7 in / 21.3 lb
5742919072	LED 3000K 25W	120-277V/60HZ	2404	Dim 0-10v	White cord	BLK, 350	17.2 / 6.1 / 17.2 in / 9.8 lb
5742919085	LED 3000K 25W	120-277V/60HZ	2279	Dim 0-10v	White cord	BLK, 350	17.2 / 6.1 / 17.2 in / 9.8 lb
5742919098	LED 3000K 25W	120-277V/60HZ	2478	Dim 0-10v	White cord	Dark aluminium raw	17.2 / 6.1 / 17.2 in / 9.8 lb
5742919108	LED 3000K 25W	120-277V/60HZ	2306	Dim 0-10v	White cord	Dark aluminium raw	17.2 / 6.1 / 17.2 in / 9.8 lb
5742919111	LED 3000K 25W	120-277V/60HZ	2353	Dim 0-10v	White cord	WHT, 349	17.2 / 6.1 / 17.2 in / 9.8 lb
5742919124	LED 3000K 25W	120-277V/60HZ	2659	Dim 0-10v	White cord	WHT, 349	17.2 / 6.1 / 17.2 in / 9.8 lb
5742919137	LED 3500K 25W	120-277V/60HZ	2404	Dim 0-10v	White cord	BLK, 350	17.2 / 6.1 / 17.2 in / 9.8 lb
5742919140	LED 3500K 25W	120-277V/60HZ	2279	Dim 0-10v	White cord	BLK, 350	17.2 / 6.1 / 17.2 in / 9.8 lb
5742919153	LED 3500K 25W	120-277V/60HZ	2478	Dim 0-10v	White cord	Dark aluminium raw	17.2 / 6.1 / 17.2 in / 9.8 lb
5742919166	LED 3500K 25W	120-277V/60HZ	2306	Dim 0-10v	White cord	Dark aluminium raw	17.2 / 6.1 / 17.2 in / 9.8 lb
5742919179	LED 3500K 25W	120-277V/60HZ	2353	Dim 0-10v	White cord	WHT, 349	17.2 / 6.1 / 17.2 in / 9.8 lb
5742919182	LED 3500K 25W	120-277V/60HZ	2659	Dim 0-10v	White cord	WHT, 349	17.2 / 6.1 / 17.2 in / 9.8 lb
5742919263	LED 3000K 53W	120-277V/60HZ	5861	Dim 0-10v	White cord	BLK, 350	26.7 / 6.1 / 26.7 in / 21.3 lb
5742919276	LED 3000K 53W	120-277V/60HZ	5978	Dim 0-10v	White cord	Dark aluminium raw	26.7 / 6.1 / 26.7 in / 21.3 lb
5742919289	LED 3000K 53W	120-277V/60HZ	6262	Dim 0-10v	White cord	WHT, 349	26.7 / 6.1 / 26.7 in / 21.3 lb
5742919292	LED 3500K 53W	120-277V/60HZ	5978	Dim 0-10v	White cord	Dark aluminium raw	26.7 / 6.1 / 26.7 in / 21.3 lb
5742919302	LED 3500K 53W	120-277V/60HZ	6262	Dim 0-10v	White cord	WHT, 349	26.7 / 6.1 / 26.7 in / 21.3 lb
5742919315	LED 3000K 13W	120-277V/60HZ	1092	Dim 0-10v	White cord	BLK, 350	9.8 / 5.8 / 9.8 in / 5.0 lb
5742919328	LED 3000K 13W	120-277V/60HZ	1114	Dim 0-10v	White cord	BLK, 350	9.8 / 5.8 / 9.8 in / 5.0 lb
					White	Dark aluminium	

LP SLIM ROUND SUSPENDED

, , Designed by Louis Poulsen A/S

5742919331	LED 3000K 13W	120-277V/60HZ	1142	Dim 0-10v	cord	raw	9.8 / 5.8 / 9.8 in / 5.0 lb
5742919344	LED 3000K 13W	120-277V/60HZ	1120	Dim 0-10v	White cord	Dark aluminium raw	9.8 / 5.8 / 9.8 in / 5.0 lb
5742919357	LED 3000K 13W	120-277V/60HZ	1254	Dim 0-10v	White cord	WHT, 349	9.8 / 5.8 / 9.8 in / 5.0 lb
5742919360	LED 3000K 13W	120-277V/60HZ	1149	Dim 0-10v	White cord	WHT, 349	9.8 / 5.8 / 9.8 in / 5.0 lb
5742919373	LED 3500K 13W	120-277V/60HZ	1092	Dim 0-10v	White cord	BLK, 350	9.8 / 5.8 / 9.8 in / 5.0 lb
5742919386	LED 3500K 13W	120-277V/60HZ	1114	Dim 0-10v	White cord	BLK, 350	9.8 / 5.8 / 9.8 in / 5.0 lb
5742919399	LED 3500K 13W	120-277V/60HZ	1142	Dim 0-10v	White cord	Dark aluminium raw	9.8 / 5.8 / 9.8 in / 5.0 lb
5742919409	LED 3500K 13W	120-277V/60HZ	1120	Dim 0-10v	White cord	Dark aluminium raw	9.8 / 5.8 / 9.8 in / 5.0 lb
5742919412	LED 3500K 13W	120-277V/60HZ	1254	Dim 0-10v	White cord	WHT, 349	9.8 / 5.8 / 9.8 in / 5.0 lb
5742919425	LED 3500K 13W	120-277V/60HZ	1149	Dim 0-10v	White cord	WHT, 349	9.8 / 5.8 / 9.8 in / 5.0 lb
5742919506	LED 3000K 53W	120-277V/60HZ	5861	Dim 0-10v	White cord	WHT, 349	26.7 / 6.1 / 26.7 in / 21.3 lb
5742919519	LED 3000K 13W	120-277V/60HZ	1092	Dim 0-10v	White cord	WHT, 349	9.8 / 5.8 / 9.8 in / 5.0 lb
5742919522	LED 3000K 13W	120-277V/60HZ	1092	Dim 0-10v	White cord	WHT, 349	17.2 / 6.1 / 17.2 in / 9.8 lb
5742919535	LED 3500K 13W	120-277V/60HZ	1092	Dim 0-10v	White cord	WHT, 349	17.2 / 6.1 / 17.2 in / 9.8 lb
5742919548	LED 3500K 13W	120-277V/60HZ	1092	Dim 0-10v	White cord	WHT, 349	9.8 / 5.8 / 9.8 in / 5.0 lb
5742919551	LED 3000K 25W	120-277V/60HZ	2279	Dim 0-10v	White cord	WHT, 349	17.2 / 6.1 / 17.2 in / 9.8 lb
5742919564	LED 3500K 25W	120-277V/60HZ	2279	Dim 0-10v	White cord	WHT, 349	17.2 / 6.1 / 17.2 in / 9.8 lb
5742919577	LED 3000K 13W	120-277V/60HZ	1114	Dim 0-10v	White cord	WHT, 349	9.8 / 5.8 / 9.8 in / 5.0 lb
5742919580	LED 3500K 13W	120-277V/60HZ	1114	Dim 0-10v	White cord	WHT, 349	9.8 / 5.8 / 9.8 in / 5.0 lb