

NJP FLOOR LAMP

NJP Floor Lamp - 5744165138

The fixture provides direct glare-free horizontal light while reflecting some of the light through the rear of the head, illuminating the top of the arm. The ergonomic design of the fixture head shapes the light and gives optimal light direction. A simple mechanical system provides great freedom of movement, so the light can always be set in the ideal position in the workspace. The shade is painted white on the inside, reflecting comfortable diffused light.



nendo

In 2002 Oki Sato founded nendo design studio. nendo means 'clay' in Japanese – or more specifically, modelling clay such as plasticine. A unique material that makes it easy to do creative modelling.



Product info

Information

Driver fitted externally on cord. The light has two built-in intensities. The weight includes the base plate. This product is fitted with an integrated energy-saving LED light source. Should you wish to replace it, please contact Louis Poulsen so we can help you purchase the correct LED Replacement Kit. Please note that LED-replacement should always be carried out by an authorised electrician.

Mounting

1.7 m. Cord with plug. Switch: On the fixture head. Timer function: 4 hours or 8 hours. LED driver: separate, plugs into power outlet. The light has two built-in intensities.

Finish

White, Black or Light Aluminium Grey, powder coated.

Materials

Base: Steel. Arms and lamp head: Aluminium. Joints: Anodised Aluminium. Stem: Aluminium.

Sizes and weights

width x Height x Length (mm) | 260 x 1250 x 560 Max 7.1 kg

Class

Ingress protection IP20. Electric shock protection II.


Light source

LED 2700K 10W


Lumen: 529

Information

Driver fitted externally on cord. The light has two built-in intensities. The weight includes the base plate. This product is fitted with an integrated energy-saving LED light source. Should you wish to replace it, please contact Louis Poulsen so we can help you purchase the correct LED Replacement Kit. Please note that LED-replacement should always be carried out by an authorised electrician.



Related products



PH 80 Floor Lamp



Panthella Floor Lamp




AJ Munkegaard Ceiling Lamp



AJ Floor Lamp



LP Circle Suspended



Silverback Ceiling/Wall Lamp




NJP Table Lamp




Silverback Suspended



NJP Wall Lamp

NJP Floor Lamp

LP Grand Suspended



LP Grand Surface Mounted



LP Slim Round Suspended



VL 38 Floor Lamp



Above Pendant



Yuh Floor Lamp




Keglen Pendant



NJP Mini Table Lamp



Moonsetter



VL Studio Table/Floor Lamp



Keglen Table Lamp



Keglen Wall Lamp




Keglen Floor Lamp




Tomoshi Portable Lamp

Light distribution diagrams


Cartesian



Isolux



Polar



Spare parts & accessories

Product

Adaptor 12V black
 Adaptor 12V white
 NJP bushing plast
 NJP replacement kit LED w/wire 27K
 NJP replacement kit LED w/wire 3K
 NJP Floor black base
 NJP Floor white base
 NJP Floor Dark Grey base
 NJP Floor Light Grey base

Variant number

5744164867
 5744164870
 5744165183
 5744165947
 5744165976
 5744165112
 5744165125
 5744165837
 5744165840

Data specifications

Colour	Black (RAL RAL 9011 G: 30)
Width	260
Built-in Height	-
Class	II
Standby (W)	-
Inrush Current	-
Kelvin	2700
SDCM	3
Watt	10
Light control	-
UGR Transversal / Axial	19.3/19.3
Driver life	-

Length	560
Height	1250
IP class	20
Net Weight	7.1
Power Factor (P = 100 % / P = 50 %)	0.53/0.46
Light source	LED 2700K 10W
CRI	97
Lumen	529
Efficacy	53
Min. Dim Level (%)	50
L80B50 (hours)	>100.000