


PH 3/2 TABLE LAMP


PH 3/2 Table Lamp - 5744610861

The fixture is designed based on the principle of a reflective three-shade system, which directs the majority of the light downwards. The shades are made of mouth-blown opal three-layer glass, which is glossy on top and sandblasted matt on the underside, giving a soft and diffused light distribution.



Poul Henningsen

The very influential Danish designer, architect, writer, and cultural critic, Poul Henningsen (1894-1967), has had a huge impact on Danish thinking and design. His legacy is an integrated part of Louis Poulsen's endeavor to shape light.



American Heart Institute

Product info

Mounting

Cord with plug. Cord length: 2.1 m. On/off switch provided.

Finish

Brass metallised, black metallised or high lustre chrome plated. White opal glass.

Materials

Shades: Mouth-blown white opal glass. Top plate: Brass metallised, black metallised or high lustre chrome plated, spun brass. Base and stem: Brass metallised, black metallised or high lustre chrome plated, brass.

Sizes and weights

width x Height x Length (mm) | 285 x 455 x 285 Max 6.5 kg

Class

Ingress protection IP20. Electric shock protection II w/o ground.

Specification notes

The innovation of light sources is ongoing. Consequently we only inform about the max. wattages. On www.louispoulsen.com we update a list of recommendable light sources.

Light source

1x40W 1x40W E14



Related products



PH 3½-2½ Metal Table Lamp



PH 3½-2½ Table Lamp



AJ Table Lamp




Panthella 400 Table Lamp



PH 4½-3½ Table Lamp



PH 4/3 Table Lamp



VL Studio Table/Floor Lamp

PH 2/2 Question Mark Pale
Rose Table Lamp

PH 3/2 Pale Rose Table Lamp

PH 3/2 Aged Brass Table
Lamp

Panthella 320 Table Lamp



FJ Elements Table Lamp

PH 3/2 Dusty Terracotta Table
LampPH 3/2 Aged Brass Opal Table
Lamp


PH 80 Table Lamp




PH 80 Portable Lamp

Light distribution diagrams


Cartesian



Isolux



Polar



Spare parts & accessories

Product	Variant number
PH 3/2 middle shade Opal glass	5741481598
PH 3/2 lower shade Opal glass	5741481608
PH 3/2 top shade Opal glass	5741481585
PH 3/2 top shade Amber Glass	5744162607
PH 3/2 middle shade Amber Glass	5744162610
PH 3/2 lower shade Amber Glass	5744162623
Finger screw SS M3X12 (3pcs) lower	5744610528
Finger screw SS M2X8 (3pcs) middle	5744611116
Finger screw brass raw M2X8 (3pcs)middle	5744611271
Finger screw brass raw M3X12 (3pcs)lower	5744611284

Data specifications

Colour	Black metallised	Length	285
Width	285	Height	455
Built-in Height	-	IP class	20
Class	II	Net Weight	6.5

PH 3/2 Table Lamp

Standby (W)	-
Inrush Current	-
Kelvin	-
SDCM	-
Watt	4.5
Light control	-
UGR Transversal / Axial	18.1/18.1
Driver life	-

Power Factor (P = 100 % / P = 50 %)	-
Light source	1x40W 1x40W E14
CRI	-
Lumen	254
Efficacy	6
Min. Dim Level (%)	-
L80B50 (hours)	-