



PH 4/3 TABLE LAMP

The fixture is designed based on the principle of a reflective three-shade system, which directs the light downwards. The shades are made of metal and painted white to ensure diffused, comfortable light distribution.



Poul Henningsen

Poul Henningsen was born in Copenhagen by the famous Danish writer Agnes Henningsen. He never graduated as an architect, but studied at The Technical School at Frederiksberg, Denmark from 1911-14, and then at Technical College in Copenhagen from 1914-17.



Ballywalter

Product info

Mounting

Cord with plug. Cord length: 2.9 m. On/off switch provided.

Finish

White, powder coated. High lustre chrome plated.

Materials

Shades: Spun aluminium. Base: High lustre chrome plated, spun brass. Stem: High lustre chrome plated, steel. Triangular piece: Black sandblasted, injection moulded bakelite.

Sizes and weights

width x Height x Length (mm) | 450 x 540 x 450 Max 6.5 kg

Class

Ingress protection IP20. Electric shock protection II w/o ground.

Specification notes

The innovation of light sources is ongoing. Consequently we only inform about the max. wattages. On www.louispoulsen.com we update a list of recommendable light sources.

Light source

1x100W E27

Related products

AJ Table Lamp

PH 3/2 Table Lamp

PH 4½-3½ Table Lamp

PH 3½-2½ Metal Table Lamp

PH 3½-2½ Table Lamp

VL Studio Table/Floor Lamp

PH 2/2 Question Mark Pale Rose Table Lamp

PH 3/2 Pale Rose Table Lamp

PH 3/2 Aged Brass Table Lamp

PH 3/2 Aged Brass Opal Table Lamp

FJ Elements Table Lamp

PH 80 Table Lamp

PH 80 Portable Lamp

PH 3/2 Table Lamp Centenary Edition

Panthella 400 Table Lamp

Panthella 320 Table Lamp

Product variants

Light source

1x100W E27

Product description

Portable fixture.

Terse and iconic design.

The size of the three shades is adjusted for optimum performance and comfort.

Interior surfaces of shades matte finished to diffuse light.

Member of a family products of various sizes and type.

Mounting

Portable fixture plugs into standard wall outlet.

Light description

The fixture emits glare free, mostly downward light.

Design

Poul Henningsen

Material

Shades: spun aluminum, 1.5mm (0.06") thick, white wet painted.

Struts: stamped steel.

Socket cover and base accent: black injection molded Bakelite.

Base: steel with chrome-plated brass cover.

Stem: extruded steel, chrome plated, 1.5mm (0.06") thick.

Switch: on/off, phenolic, on cord.

Socket: Porcelain, medium base for A-19, frosted envelope lamps.

Weight


6.5

Finish


White

Light distribution diagrams


Cartesian



Isolux



Polar



Spare parts & accessories

Product

PH 4/3 Table Lamp finger screw with washer
 PH 4/3 table lamp middle/lower shade set
 PH 4/3 Table Lamp top shade White
 PH 4/3 Table Lamp nipple for base plate
 PH 4/3 Table Lamp holder assistant
 PH 4/3 Table Lamp holder bracket

Variant number

5744610230
 5744610829
 5744610926
 5744610515
 5744610696
 5744610706