


# PH 5

PH 5 - 5741104558

The fixture provides a comfortable, glare-free light, based on the principle of Poul Henningsen's reflective three-shade system, which directs the majority of the light downwards. It emits a lateral light as well as illuminating itself, providing a soft radiance from within its core. The lower shade is furthermore fitted with a frosted diffuser glass to ensure that the downward directed light is 100% glare-free.



## Poul Henningsen

The very influential Danish designer, architect, writer, and cultural critic, Poul Henningsen (1894-1967), has had a huge impact on Danish thinking and design. His legacy is an integrated part of Louis Poulsen's endeavor to shape light.



## Restaurant Madsen



## Product info

### Environmental Product Specification

This product is compliant with the requirements contained in the European Directives, RoHS Directive 2011/65 and 2015/863. This product is designed so that 100% of the product can be disassembled and reused.

### Mounting

3 m. Textile cord.<br> Canopy included.

### Finish

Powder coated: White Classic, White Modern and Metal finishes.<br> Wet painted: Monochromes, Pastels and Hues Of finishes.

### Materials

Shades and anti-glare disc: Spun copper, brass or aluminium. <br> Lower shade: Spun steel. <br> Struts: Rolled aluminium. <br> Diffuser: Frosted glass.

### Sizes and weights

width x Height x Length (mm) | 500 x 267 x 500 Max 7.7 kg

### Class

Ingress protection IP20. Electric shock protection II w/o ground.

### Light source

1x75W E27

## Related products

PH 2/1 Stem Fitting

PH 4/3 Pendant

PH 4½-4 Pendant

PH 3/2 Pendant

PH 3/2 Academy

PH 3½-3 Metal Pendant

PH 2/1 Pendant

PH 3½-3 Pendant

PH 5 Mini

PH 5 Retake

PH 3½-3 Pale Rose Brass  
Pendant

PH 3/3 Pendant


PH 5/5 Pendant

PH 3/3 Aged Brass Opal  
Pendant


PH 1/1 Chandelier Centenary  
Edition

# Light distribution diagrams


Cartesian



Isolux



Polar



## Spare parts & accessories

Product	Variant number
Tophat 2-part canopy@ White	5749329034
Tophat 2-part canopy@ Black	5749329021
PH 5 electrical assembly	5741086498
PH 5 glass disc	5741093300
Extension nipple for standard suspension	5741480670
PH 5 red/blue 100W inc bottom plate	5741481394
PH 5 spacers Purple	5741093407
PH 5 spacers Bronze Colour	5741100235
Relief nipple white	5741481268
PH 5 spacers Aluminium Colour	5741100015
PH 5 electrical assembly White Matt	5741086443
PH 5 electrical assembly White	5741099948
PH 5 spacers White	5741100248
PH 5 spacers Monochrome White	5741106093
PH 5 spacers Monochrome Blue	5741106103
PH 5 spacers Monochrome Black	5741106116
PH 5 spacers Monochrome Warm Sand	5741113785
PH 5 spacers Monochrome Pale Pewter	5741115071
PH 5 spacers Monochrome Pale Blush	5741115084
PH 5 spacers Monochrome Burgundy	5741115097
PH 5 spacers Monochrome Dusty Indigo	5741115107

## Data specifications

Colour	<b>Monochrome blue</b>
Width	<b>500</b>
Built-in Height	-
Class	<b>II</b>
Standby (W)	-
Inrush Current	-
Kelvin	-
SDCM	-
Watt	<b>22</b>
Light control	-
UGR Transversal / Axial	<b>12.9/12.9</b>
Driver life	-

Length	<b>500</b>
Height	<b>267</b>
IP class	<b>20</b>
Net Weight	<b>4.5</b>
Power Factor (P = 100 % / P = 50 %)	-
Light source	<b>1x75W E27</b>
CRI	-
Lumen	<b>891</b>
Efficacy	<b>40</b>
Min. Dim Level (%)	-
L80B50 (hours)	-