


PH 80 FLOOR LAMP

The fixture emits a diffused, reflected, symmetrical light. The majority of the light is directed downward. The opal acrylic shades provide comfortable room lighting. On the original fixture, the red hue of the top reflector adds an intense, warm glow to the light. The black and white fixtures have a white top reflector that reflects the light for a clean, elegant look. The choice of light source will determine the color of the illumination.



Poul Henningsen

Poul Henningsen was born in Copenhagen by the famous Danish writer Agnes Henningsen. He never graduated as an architect, but studied at The Technical School at Frederiksberg, Denmark from 1911-14, and then at Technical College in Copenhagen from 1914-17.



Product info

Mounting

Cord type: Plastic cord with plug. Cord length: 2.6 m. Light control: on/off switch or dimmer on cord.

Finish

High luster chrome plated stand with textured black base, black stand with smooth black base, and white stand with smooth white base. White opal acrylic shades.

Materials

Shades: High-pressure molded white opal acrylic. Top reflector: Red or white polycarbonate. Top cover and base: Black or white; high-pressure molded ABS. Stand: High-luster chrome-plated, or black or white powder-coated steel.

Sizes and weights

width x Height x Length (mm) | 550 x 1315 x 550 Max 16.6 kg

Class


Ingress protection IP20. Electric shock protection II.

Specification notes

The innovation of light sources is ongoing. Consequently we only inform about the max. wattages. On www.louispoulsen.com we update a list of recommendable light sources.

Light source

1x70W E27



Related products



AJ Floor Lamp



Panthella Floor Lamp




NJP Floor Lamp



VL 38 Floor Lamp



Yuh Floor Lamp



VL Studio Table/Floor Lamp



Keglen Floor Lamp



Moonsetter

Product variants

Colour	Cable type	Light source	Switch
<input checked="" type="radio"/> Opal white/black	Black cord	1x70W E27	With dimmer
<input type="radio"/> Opal white/high lustre chrome plated	White cord		With switch
<input type="radio"/> Opal white/white			

Product description

Portable fixture.

Terse and iconic design.

The size of the three shades is adjusted for optimum performance and comfort.

Top cover is red to add warmth to light distribution.

Member of a family products of various sizes and type.

Mounting

Portable fixture plugs into standard wall outlet.

Light description

The fixture emits glare free, comfortable light.

Design

Poul Henningsen

Material

Shades: opal acrylic, 1. 5mm (0. 06") thick.

Struts: clear polycarbonate.

Top cover: black and red polycarbonate.

Base: injection molded black ABS, 1. 5mm (0. 06") thick.

Stem: extruded steel, chrome plated, 1. 5mm (0. 06") thick.

Switch: on/off, phenolic, on cord.

Socket: Porcelain, medium base for A-21, frosted envelope lamps.

Weight


Min: 16.219 kg Max: 16.588 kg

Finish


Opal white/black, Opal white/high lustre chrome plated, Opal white/white

Light distribution diagrams


Cartesian



Isolux



Polar



Spare parts & accessories

Product	Variant number
PH 80 top shade	5744610298
PH 80 middle shade	5744610638
PH 80 lower shade	5744610641
PH 80 red/black top	5744610667
PH 80 Floor, socket cover with branch	5744610654
PH 80 Floor, rebuilding set	5744610793
PH 80 Floor, White/Black top shade	5744611530
PH 80 Black socket cover w/branch	5744611543
PH 80 Floor, White/White top shade	5744611556
PH 80 White socket cover w/branch	5744611569
PH 80 Floor white rebuilding set	5744611572
PH 80 Floor black rebuilding set	5744611585
PH 80 Floor black switch with dimmer	5744611666
PH 80 Floor white switch with dimmer	5744611679
Black foot switch	5717000000