Project name: / Project type: /

# YUH TABLE LAMP

## Yuh Table Lamp - 5744162665

The fixture primarily provides glare-free downward directed light. The angle of the shade can be adjusted to optimize light distribution. A slim opening in the top of the shade provides soft, ambient upward illumination. A mechanical system provides great freedom of movement, so the light can always be set in the ideal position in the workspace, living room etc. Build-in LED technology provides a high quality of light with stepless dimming at 15 to 100%. Timer function to automatically turn off the light after amount of time, selectable between off/4 hours/8 hours. Function to set a fixed light level each time the lamp is connected to main power. In the upper part of the tube a button acts as switch and dimmer.





## **GamFratesi**

GamFratesi's design take their creative drive from a fusion of tradition and innovation in an experimental approach to their chosen materials and techniques. Each with their own traditional background, Stine Gam and Enrico Fratesi draw on classic Danish furniture and craftsmanship as well as a classic Italian intellectual and conceptual approach.





Set location - The Qvest

## **Product info**

#### Information

A single push button located at the lamp will control the functions on/off and dimming. Turn on/off the light with light fading in/out. Stepless dim of the light to a suitable level between 15 and 100%. Timer function to automatically turn off the light after amount of time, selectable between off/4 hours/8 hours. Function to set a fixed light level each time the lamp is connected to main power. LED driver fitted externally on cord. This product is fitted with an integrated energy-saving LED light source. Should you wish to replace it, please contact Louis Poulsen so we can help you purchase the correct LED Replacement Kit. Please note that LED-replacement should always be carried out by an authorised electrician.

#### Mounting

Cable type: Plastic cord. Cable length: 2,5m. Stepless dim between 15 and 100%. Timer function: 4 hours/8 hours. Light control: Switch on top of the stem. LED driver: separate, plugs into power outlet.

#### Finish

Slack or White, matte wet painted. Brushed brass, lacquered. Nero Margiua marble, Carrara marble, white or black base.

#### Materials

Shade: Die cast aluminium. Base: Die cast aluminium or brushed marble. Marble: Italian Nero Margiua or White Carrara. Stem: Extruded brass.

### Sizes and weights

width x Height x Length (mm) | 200 x 610 x 200 Max 4.0 kg

#### Class

Ingress protection IP20. Electric shock protection II w/o ground.

#### Light source

LED 2700K 10W Lumen: 446

#### Information

A single push button located at the lamp will control the functions on/off and dimming. Turn on/off the light with light fading in/out. Stepless dim of the light to a suitable level between 15 and 100%. Timer function to automatically turn off the light after amount of time, selectable between off/4 hours/8 hours. Function to set a fixed light level each time the lamp is connected to main power. LED driver fitted externally on cord. This product is fitted with an integrated energy-saving LED light source. Should you wish to replace it, please contact Louis Poulsen so we can help you purchase the correct LED Replacement Kit. Please note that LED-replacement should always be carried out by an authorised electrician.

## Related products







AJ Wall Lamp

AJ Table Lamp

PH 2/1 Table Lamp







AJ Floor Lamp

NJP Table Lamp

VL 38 Wall Lamp

019

louis poulsen louispoulsen.com



VL 38 Floor Lamp



VL 38 Table Lamp



Yuh Floor Lamp



AJ Mini Table Lamp



VL Studio Table/Floor Lamp



Keglen Table Lamp



AJ Oxford Table Lamp



NJP Mini Table Lamp



PH 2/1 Pale Rose Brass Table Lamp



PH 2/1 Portable Lamp



PH 2/1 Aged Brass Table



Panthella 160 Portable Lamp



Tomoshi Portable Lamp



VL 45 Radiohus Portable Lamp



Panthella 250 Portable Lamp



PH 2/2 Luna Aged Brass Opal FJ Elements Table Lamp Table Lamp





Rumee 220 Portable Lamp

louis poulsen louispoulsen.com






VL Ring Crown Table Lamp

FJ Elements Pendant

louis poulsen louispoulsen.com

# Light distribution diagrams



# Spare parts & accessories

Product	Variant number
Adaptor 12V black	5744164867
Adaptor 12V white	5744164870

# **Data specifications**

Colour	Brass/white	Length	200
Width	200	Height	610
Built-in Height	-	IP class	20
Class	II	Net Weight	4.0
Standby (W)	-	Power Factor (P = 100 % / P	= 50 %)
Inrush Current	-	Light source	LED 2700K 10W
Kelvin	2700	CRI	90
SDCM	3	Lumen	446

louis poulsen louispoulsen.com

Watt	10
Light control	-
UGR Transversal / Axial	20.9/20.9
Driver life	-

Efficacy	45
Min. Dim Level (%)	-
L80B50 (hours)	>100.000

louis poulsen louispoulsen.com