

TOLDBOD PENDANT

Project name:

Project type:

Notes:



Design

Louis Poulsen A/S

Product description

Tolddbod pendant is designed based on the PH Ellipse reflector is simple and elegant. With its many sizes and colors it is designed to fit in different aesthetics and spaces. It is offered in various sizes: 4.7", 6.7", 9.8", 15.7" and many colors. A Glass Pendant is also available in 6.1" and 8.7" sizes. Other choices include wall mount, exterior bollard and post mounted area light.



Variant options

Dimension	Color	Cable type	Light source	Voltage frequency
15.7 IN	● Black	Black textile	A-15/medium	120V
4.7 IN	● Blue-grey	White textile	A-19/medium	
6.7 IN	● Light grey		G16.5/candelabra	
9.8 IN	○ White		T-4 G9	

Specification notes

a. 4.7 IN available only in 4W LED/T-4/G9. b. 6.7 IN available only in 10W LED/G16.5/candelabra. c. 9.8 IN available only in 10W LED/A-15/medium. d. 15.7 IN available only in 15W LED/A-19/medium. e. 21.7 IN available only in 22W LED/A-22/medium.

Light description

The light is directed 100% downwards and the shade has a matte white painted interior emitting a soft, diffused, comfortable light. All sizes are available with a socket allowing the use of various color temperatures or wirelessly-controlled lamps as desired. Add-on accessories of bottom anti-glare diffusers are available for 15.7 IN size.

Mounting

Mounts onto a 4 inch octagonal outlet box. The 15.7 IN size includes a single stainless steel aircraft wire to support the weight. Incandescent variants canopy: flat cone profile, 5.3 IN diameter x 1 IN tall. LED variants canopy: contoured cone profile, 9.4 IN diameter x 7.6 IN tall. Cord type: 2 or 3-conductor, 18 AWG fabric-covered power cord. Cord length: 12 feet. Cord and canopy are both black for black and blue-grey pendants and white for white and light grey pendant.

Information

Electrical:

System Wattage: 4W or 15W

LED Wattage: 4 W or 13 W

Delivered lumens: 144 - 637

Efficacy: 36 - 42 lm/W

Certifications:

cULus, Dry Location

Protection class IP20

Controllability: Phase dimming

Actual performance dependent upon screw-base lamp used.

Other functions

Longer cord lengths.

Specification notes

- 4.7 IN available only in 4W LED/T-4/G9.
- 6.7 IN available only in 10W LED/G16.5/candelabra.
- 9.8 IN available only in 10W LED/A-15/medium.
- 15.7 IN available only in 15W LED/A-19/medium.

Light distribution diagrams

For the full data set on all variants, see louispoulsen.com.

Material

Shade is cast aluminum, 0.2 IN thick. Socket: Porcelain. Mounting bracket is galvanized steel, 0.06 IN thick. Canopy is spun aluminum, 0.03 IN thick. For 15.7 IN and 21.7 IN sizes: stainless steel aircraft-type wires, 0.06 IN.

Weight

Min: 1.208 lbs Max: 7.496 lbs

Dimensions

15.7 IN, 4.7 IN, 6.7 IN, 9.8 IN

Finish



Black, Blue-grey, Light grey, White

Voltage



120V

Specification sheet

Cartesian





Isolux

















Polar

3/4 Toldbod Pendant



Variant options

Dimension	Color	Cable type	Light source	Voltage frequency	Variant number
6.7 IN	 Black	Black textile	G16.5/candelabra	120V	10000149809
6.7 IN	 Light grey	White textile	G16.5/candelabra	120V	10000149810
6.7 IN	 Blue-grey	Black textile	G16.5/candelabra	120V	10000149811
6.7 IN	 White	White textile	G16.5/candelabra	120V	10000149813
9.8 IN	 Black	Black textile	A-15/medium	120V	10000149814
9.8 IN	 Light grey	White textile	A-15/medium	120V	10000149815
9.8 IN	 Blue-grey	Black textile	A-15/medium	120V	10000149816
9.8 IN	 White	White textile	A-15/medium	120V	10000149818
15.7 IN	 Black	Black textile	A-19/medium	120V	10000149819
15.7 IN	 White	White textile	A-19/medium	120V	10000149820
4.7 IN	 Black	Black textile	T-4 G9	120V	10000149900
4.7 IN	 Light grey	White textile	T-4 G9	120V	10000149901
4.7 IN	 Blue-grey	Black textile	T-4 G9	120V	10000149902
4.7 IN	 White	White textile	T-4 G9	120V	10000149904