Project name: / Project type: /

PANTHELLA 400 TABLE LAMP

The fixture emits a glare-free, soft and comfortable illumination. The opal acrylic shade leaves a diffused comfortable light atmosphere due to the translucent shade, the downward reflection from the inner shade and the reflection from the trumpet stem.





Verner Panton

Verner Panton (1926-1998) is famous for his inspirational and colorful personality. A unique person with a special sense for color, shape, light function and space. Over the course of his career, Panton introduced a series of modern lamps with personalities unlike any of his Scandinavian contemporaries.





550

Ø 250

Product info

Environmental Product Specification

This product is compliant with the requirements contained in the European Directives, RoHS Directive 2011/65 and 2015/863. This product is designed so that 100% of the product can be disassembled and reused.

Mounting

Cable type: Plastic cord with plug. Cable length: 2.5m. Light control: On/off switch on cord. Diffuser with bajonet lock.

Finish

White opal acrylic.

Materials

Shade: Injection moulded white opal acrylic. Base: White, injection moulded ABS. Housing: White, injection moulded ABS. Stem: White, steel. Diffuser: Injection moulded opal pmma.

Sizes and weights

Width x Height x Length (mm) | 400 x 550 x 400 Max 2.5 kg

Class

Ingress protection IP20. Electric shock protection II.

Specification notes

The innovation of light sources is ongoing. Consequently we only inform about the max. wattages. On www.louispoulsen.com we update a list of recommendable light sources.

Light source

1x28W E27

Related products





Panthella Floor

Panthella 250 Table Lamp

Panthella 320 Table Lamp







Panthella 160 Portable

Panthella 160 Portable Metal

Panthella 250 Portable

Product variants

Light source

1x28W E27

louis poulsen louispoulsen.com

Product description

Modern, all white, portable fixture. Terse and iconic design Matching floor version available.

\mathbf{N}	\sim		1 + 1	n	
M					
	•	.			9

Portable fixture plugs into standard wall outet.

Light description

The fixture emits glare free, comfortable light.

Top hemispherical shade reflects light downwards

Design

Verner Panton

Material

Shade: opal acrylic, 1. 5mm (0. 06") thick.
Base: injection molded white ABS, 1. 5mm (0. 06") thick.
Switch: on/off, phenolic, on cord.
Socket: Porcelain, medium base for A-19, frosted envelope lamps.

Weight


2.525

Finish

White opal acryl

louis poulsen louispoulsen.com

Light distribution diagrams



Spare parts & accessories

Product	Variant number	
Panthella Floor/400 chrome nut	5744610049	
Panthella 400 shade holder clear	5744610544	
Panthella 400 diffuser	5744167479	
Panthella 400 bayonet base	5744167482	
Panthella 400 Opal shade	5744167505	

louis poulsen louispoulsen.com